

Certified: 07/30/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Klow	Form	Lyophilized Powder
Batch	batch 2	Labeled Qty	80 mg
Cap Color	Translucent	Crimp Color	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.731% 
Blend Avg Net Content	(~80mg)	82.14 mg 
Blend Identification (LC-MS)	{Klow}	Klow 
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass 
Rapid Sterility Screening	(No Growth)	No microbial growth detected 

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
GHK-Cu	50 mg	50.14 mg
KPV	10 mg	10.49 mg
BPC-157	10 mg	10.57 mg
TB-500	10 mg	10.94 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm


Lemar Argundinal
 Lab Director


koveralabs.com/verify

 Report#: KVR-2026-650D2A
 Access Code: BY90V9L